

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Patricia Scaduto on April 30, 2008.

2. The application has been amended as follows:

a) Claims 6 (line 1), 7 (line 1), 11 (line 1) and 14 (lines 2-3): "self-curable" has been deleted and -- curable -- inserted in its place.

b) Claim 12, line 2: "having a low coefficient of thermal expansion" has been deleted.

c) Claims 21 and 22, line 1 of each: "composition" has been deleted.

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to /Erma Cameron/ whose telephone number is 571-272-1416. The examiner can normally be reached on 8:30-6:00, alternate Fridays off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Timothy Meeks can be reached on 571-272-1423. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Erma Cameron/
Primary Examiner
Art Unit 1792

May 1, 2008